

TUBERIAS

TUBERIA INOXIDABLE T-304/316

NORAMA ANSI/ASME 36.19M

DIAMETRO NOMINAL NPS	CEDULA (Schedule)	DIAMETRO EXTERIOR		ESPESOR DE PARED		Peso Kg/m
		mm	Pulgads	mm		
1/8"	10	10,30	1,255	31,88		0,280
1/4"	10	13,70	1,651	41,94		0,490
3/8"	10	17,10	1,651	41,94		0,630
1/2"	10	21,30	2,108	53,54		0,998
3/4"	10	26,70	2,108	53,54		1,275
1"	10	33,40	2,768	70,31		2,088
1-1/4"	10	42,16	2,768	70,31		2,686
1-1/2"	10	48,26	2,768	70,31		3,102
2"	10	60,30	2,768	70,31		3,924
2-1/2"	10	73,00	3,048	77,42		5,300
3"	10	88,90	3,048	77,42		6,560
4"	10	114,30	3,048	77,42		8,500
6"	10	168,30	3,403	86,44		14,040
1/8"	40	10,30	1,730	43,94		0,370
1/4"	40	13,70	2,240	56,90		0,630
3/8"	40	17,20	2,320	58,93		0,850
1/2"	40	21,30	2,770	70,36		1,270
3/4"	40	26,70	2,870	72,90		1,680
1"	40	33,40	3,380	85,85		2,500
1-1/4"	40	42,20	3,560	90,42		3,390
1-1/2"	3	48,30	3,690	93,73		4,060

DIAMETRO NOMINAL NPS	CEDULA (Schedule)	DIAMETRO EXTERIOR mm	ESPEJOR DE PARED		Peso Kg/m
			Pulgads	mm	
2"	40	60,30	3,920	99,57	5,450
2-1/2"	40	73,00	5,160	131,06	8,640
3"	40	88,9	5,490	139,45	11,300
4"	40	114,30	6,020	152,91	16,100
6"	40	168,30	7,120	180,85	28,300
8"	40	219,10	8,180	207,77	42,500
10"	40	273,10	9,280	235,71	60,400
12"	40	323,90	9,530	242,06	73,900

TUBERIAS

TUBERIA DE CONDUCCION EN ACERO CARBON

NORAMA ASTM API-5L, A-53 Gr. A, Gr. B, A-106 Gr.B

DIAMETRO NOMINAL NPS	DIAMETRO EXTERIOR Pulgadas	ESPEJOR DE PARED		Peso Kg/m
		Pulgads	mm	
1/4"	0,540	0,088	2,24	0,690
3/8"	0,675	0,091	2,31	0,919
1/2"	0,840	0,109	2,77	1,359
3/4"	1,050	0,113	2,87	1,802
1"	1,315	0,133	3,38	2,649
1-1/4"	1,660	0,140	3,56	3,575
1-1/2"	1,900	0,145	3,68	4,267
2"	2,375	0,154	3,91	5,718
2-1/2"	2,875	0,203	5,16	8,960
3"	3,500	0,216	5,49	11,690
4"	4,500	0,237	6,02	16,600
6"	6,625	0,280	7,11	29,040
8"	8,625	0,322	8,18	43,120
10"	10,750	0,594	15,09	96,010
12"	12,750	0,406	10,31	79,700
16"	17,000	0,500	12,70	123,290
20"	21,185	0,590	15,08	183,050

TUBERIA GALVANIZADA

NORAMA ASTM A-53 Grado A - Agua Pesada

DIAMETRO NOMINAL NPS	DIAMETRO EXTERIOR Pulgadas	ESPEJOR DE PARED		Peso Kg/m
		Pulgads	mm	
1/4"	0,530	0,070	1,78	0,530
3/8"	0,666	0,070	1,78	0,687
1/2"	0,815	0,080	2,03	0,964
3/4"	1,028	0,080	2,03	1,245
1"	1,315	0,098	2,49	1,947
1-1/4"	1,663	0,098	2,49	2,505
1-1/2"	1,900	0,105	2,67	3,078
2"	2,360	0,116	2,95	4,235
2-1/2"	2,850	0,133	3,38	5,657
3"	3,474	0,133	3,38	6,955
4"	4,468	0,150	3,81	9,889